

MATERIAL SAFETY DATA SHEET

MANUFACTURED FOR:

PREPARATION DATE: 10/1/2010

CLEARCO PRODUCTS CO., INC
3430-G PROGRESS DRIVE
Bensalem, PA 19020

Emergency Telephone Number
CHEM-TEL: 1 (800) 255-3924
CHEM TEL: 1-800-255-3924 (DOMESTIC)
+01-813-248-0585 (INTERNATIONAL)

HAZARD RATING

Health-1 Reactivity-0 Flammability-3 Equipment-A Special Hazard-Unk

SECTION I - GENERAL INFORMATION

Product Code..... CO126CT
Trade Name & Syn... **FOOD GRADE MINERAL OIL SPRAY**

SECTION II - INGREDIENTS

INGREDIENT DESCRIPTION	% Weight	Cas Number	ACGIH PPM	TLV MG/M3	ACGIH PPM	STEL MG/M3	OSHA PPM	PEL MG/M3	SARA 313
White Mineral Oil	60-70	8042-47-5	N/E	0.5*	N/E	N/E	N/E	N/E	
Liquefied Petroleum Gas (LPG)	25-35	68476-85-7	1000	1800.0	N/E	N/E	1000	1800.0	

* Listed Value is for Oil Mist

SECTION III - PHYSICAL DATA

Boiling Point (F)..... Propellant < 0°F Liquid: >450°F @ 760 mm Hg
Vapor Pressure No Data
Vapor Density (Air=1)..... Above 1.0
Water Solubility..... Appreciable
Specific Gravity (H20=1)..... Below 1.0
Evaporation Rate (EE=1)..... As Water
Percent Volatile (BP<425°F)... 30.0 Wt % Max
Appearance & Odor..... Water White Liquid with an Oily/Musty Odor

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point and Method..... Propellant, < 0°F Liquid: Non-Flammable
Autoignition Temperature..... No Data
Flammable Limits in Air..... Propellant LEL: 2.0 UEL: 9.0
Extinguishing Media..... Dry Chemical, Foam or Carbon Dioxide (CO2)
Special Fire Fighting Procedures..... Use water spray to cool fire exposed aerosol containers when feasible for containers can rupture violently from heat developed pressure.
Unusual Fire & Expl. Hazards..... No Data

SECTION V - HEALTH HAZARD DATA

Symptoms of Exposure..... SKIN CONTACT may cause slight temporary irritation in some individuals. EYE CONTACT may cause temporary irritation or redness. INHALATION of this product is not an anticipated hazard. INGESTION is unlikely due to being an aerosol. However, should ingestion actually occur, irritation and nausea may result.
Medical Cond. Aggravated..... None Known.
Carcinogen Data: None of the ingredients of this product are listed with OSHA, IARC or NTP as being carcinogenic.

SECTION VI - FIRST AID PROCEDURES

Inhalation...Remove from Exposure.
Ingestion....Unlikely due to being an aerosol. However, if item is actually swallowed, drink 1 or 2 glasses of water to dilute. **DO NOT INDUCE VOMITING.** Consult a Physician immediately!
Eye Contact..Flush eyes with large amounts of clear water for a minimum of 15 minutes. Flush under the eyelids thoroughly. Consult a Physician for definitive treatment.

Skin Contact..Remove with soap and water. Use skin cream to counter any dryness.

SECTION VII - REACTIVITY HAZARD DATA

Stability	Stable
Hazard Polymerization	Will Not Occur
Conditions to Avoid	Heat, Sparks, Flame, Red Hot Metal
Incompatibilities	Strong Oxidizing Materials
Hazardous Decomposition Products	Oxides of Carbon

SECTION VIII - SPILL AND DISPOSAL PROCEDURES

Spill Response.....Spills from aerosol cans are unlikely and are generally of small volume. Spill prevention is therefore not normally considered a problem. In case of actual spill or rupture, avoid breathing vapors and ventilate area well. Remove all sources of ignition and use non-sparking equipment. Soak up material with inert absorbants and place in safety containers for proper disposal.

Waste Disposal Method.....Clean-Up action should be carefully planned and executed. Shipment, storage, and/or disposal of waste materials are regulated and action to handle these materials must meet the applicable rules. If any question exists, the appropriate agencies should be contacted to assure proper compliance. **DO NOT INCINERATE AEROSOL CAN!**

SECTION IX - CONTROL AND PROTECTIVE MEASURES

Respirator Protection Not normally required. Use self-contained breathing apparatus when using this product in confined or enclosed spaces.

Protective Gloves Use chemical impervious gloves for prolonged or repeated skin contact.

Eye Protection Side-Shielded Safety Glasses or Goggles should always be worn when using chemical products.

Ventilation Good General Ventilation (Typically 10 Air changes per hour) should be used. Ventilation rates should be matched to conditions to control air contamination below that of the lowest rated TLV/PEL ingredient (See Section II).

Other Protective Equipment Impervious apron or coveralls can be used to protect clothing.

Hygienic Work Practices Minimize breathing vapor, mist or fumes. Avoid prolonged or repeated contact with the skin. Remove contaminated clothing and launder or dry-clean before reuse. Cleanse skin thoroughly after contact, before breaks and meals, and at end of work period. Use lotion to counter any skin dryness.

SECTION X - SHIPPING HAZARD DATA

DOT Proper Shipping Name	Consumer Commodity	IATA UN/ID Number	ID8000
DOT Hazard Classification	ORM-D	IATA Class or Division	9
DOT Identification Number		IATA Proper Shipping Name	Consumer Commodity
		IATA Labels	Miscellaneous
IMDG	UN1950		
IMDG Class	2.1		
IMDG Proper Shipping Name	Aerosols		
IMDG Labels	Flammable Gas		

DISCLAIMER

Information presented herein has been compiled from information provided to us by our suppliers and other sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. We make no warranty as to the results to be obtained in using any material and since conditions of use are not under our control, we must necessarily disclaim all liability with respect to the use of any material supplied by us.