# Material Safety Data Sheet

# PSF-1.5cSt Silicone Fluid

# Decamethyltetrasiloxane

Data Prepared: March 24th, 2014



## **SECTION I: PRODUCT INFORMATION**

Product Name: PSF-1.5cSt Silicone Fluid Decamethyltetrasiloxane

Product Code: PSF-1.5cSt

Provided by: CLEARCO PRODUCTS CO. INC.,

3430 G. Progress Drive Bensalem, PA 19020 U.S.A.

Telephone No: 001 215 639-2640 Fax No: 001 215 639-2919

E-mail: <a href="mailto:info@clearcoproducts.com">info@clearcoproducts.com</a>
Website: <a href="mailto:www.clearcoproducts.com">www.clearcoproducts.com</a>

Emergency Telephone: CHEM TEL: 1-800-255-3924 (DOMESTIC)

+01-813-248-0585 (INTERNATIONAL)

General Description: Silicone Fluid, Polydimethylsiloxane

Physical Form: Liquid Color: Colorless

Odor: Characteristic Odor

NFPA Profile: Health: 1 Flammability: 2 Reactivity: 0

Note: NFPA= National Fire Protection Association

### **SECTION II: Hazards Identification**

#### POTENTIAL HEALTH EFFECTS

Acute Effects

Eye: Direct contact may cause temporary redness and discomfort.

Skin: No significant irritation expected from a single short-term exposure.

Inhalation: Vapor overexposure may cause drowsiness. Oral: Swallowing large amounts may cause drowsiness.

Prolonged/Repeated Exposure Effects

Skin: Repeated or prolonged contact may cause defatting and drying of skin which may result in skin irritation and dermatitis.

Inhalation: No known applicable information.

Oral: Repeated ingestion or swallowing large amounts may injure internally.

Signs and Symptoms of Overexposure No known applicable information

Medical Conditions Aggravated by Exposure

No known applicable information

The above listed potential effects of overexposure are based on actual data, results of studies performed upon similar compositions, component data and/or expert review of the product. Please refer to Section 11 for the detailed toxicology information.

#### SECTION III: COMPOSITION/INFORMATION OF INGREDIENTS

CAS number	Wt%	Component Name
141-62-8	>60.0	Decamethyltetrasiloxane
107-51-7	<1.0	Octamethyltrisiloxane
107-46-0	<1.0	Hexamethyldisiloxane (HMDS)

## **SECTION IV: FIRST AIR MEASURES**

INHALATION: Remove to fresh air.

SKIN CONTACT: Remove product from skin with dry cloth or towel, and wash exposed area with detergent.

EYE CONTACT: Immediately flush with water for at least 15 minutes.

INGESTION: Wash out mouth with water provided person is conscious. Never give anything by mouth to

an unconscious person. Call a physician immediately.

#### SECTION V: FIRE FIGHTING MEASURES

Flash Point (method used): 135° F/ 57.2°C (Pensky-Martens Closed Cup)
Flammable Limits: LOWER: not measured UPPER: not measured
Extinguishing Media: Foam, dry chemical, fine water spray or carbon dioxide

Special Fire Fighting Procedure: Not required

Unusual Fire and Explosion Hazard: None

### **SECTION VI: ACCIDENTAL RELEASE MEASURES**

#### STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Shut off all ignition sources.

Contain the spill or leak.

Scrape up with rag or cardboard and place in a container.

# **SECTION VII: HANDLING & STORAGE**

#### PRECAUTION TO BE TAKEN IN HANDLING AND STORING:

Keep container closed when not in use.

Store in a cool place.

Keep away from heat, sparks and flame.

Do not lay the container on its side.

Use with adequate ventilation.

Avoid prolonged breathing vapor.

Avoid contact with eyes and prolonged or repeated skin contact.

Keep out of reach of children.

\* \* \* \* Information about the empty container \* \* \* \*

Do not re-use this container.

This container will be very hazardous when emptied.

Residues will be explosive of flammable.

Keep away from heat, sparks and flame.

Do not puncture or cut this container, and do not weld on or near this container.

## SECTION VIII: EXPOSURE CONTROLS/PERSONAL PROTECTION

**EXPOSURE GUIDELINES:** 

ACGIH TLV-TWA: Not established,

OSHA PEL: Not established

RESPIRATORY PROTECTION (specify type): Not required

**VENTILATION:** 

LOCAL EXHAUST: Recommended

MECHANICAL (general): Adequate ventilation system

SPECIAL: Unknown OTHER: Unknown

PROTECTIVE GLOVES: Plastic film or rubber gloves.

EYE PROTECTION: Safety glasses.

OTHER PROTECTIVE CLOTHING: Eyewash equipment.

WORK/HYGIENIC PRACTICES:

Keep away from heat, sparks and flame. Avoid prolonged breathing vapor. Avoid contact with eyes

and prolonged or repeated skin contact. Wash hands and gargle after handling.

#### **SECTION IX: PHYSICAL & CHEMICAL PROPERTIES**

BOILING POINT: > 100°C VAPOR PRESSURE: > 100°C 1mmHg (25°C)

VAPOR DENSITY (air=1): >1

SPECIFIC GRAVITY: 0.852 (25°C)

FLASH POINT: 135°F/57.2°C (Pensky-Martens Closed Cup)

MELTING POINT: -76°C

EVAPORATION RATE: <1 (Butyl Acetate=1)
SOLUBILITY IN WATER: Not soluble (<1 ppm)
APPEARANCE (color): Colorless, transparent

APPEARANCE (form): Fluid
ODOR: Odorless

# **SECTION X: STABILITY AND REACTIVITY**

STABILITY: Stable
CONDITIONS TO AVOID: None
INCOMPATIBILTY (material to avoid): None

HAZARDOUS DECOMPOSITION OR BY-PRODUCT: None

HAZARDOUS POLYMERIZATION: Will not occur CONDITIONS TO AVOID: None

#### SECTION XI: TOXICOLOGY INFORMATION

SKIN IRRITATION: Essentially nonirritating to skin.

EYE IRRITATION: May cause transitional slight eye irritation.

SENSITIZATION: No evidence of sensitization No evidence of allergenic potential

ACUTE TOXICITY (LD50): LD50 (Oral/Rat): >5g/kg

ACUTE TOXICITY (LC50): LC50 (Inhalation/Rat): >5g/m3/Hr (estimated by similar Dimethylsiloxane) SUBACUTE TOXICITY: Dose of high concentration may develop increased organ weight in small animals.

CHRONIC TOXICITY: No information is available.

CARCINOGENICITY: NTP: not listed, OSHA REGULATED: Not listed

MUTAGENICITY: No evidence of mutagenicity REPRODUCTIVE EFFECT: No information is available. TERATOGENIC EFFECT: No information is available.

INFORMATION: None.

# SECTION XII: ECOLOGICAL INFORMATION

BIODEGRATION: No evidence of biodegradation.
BIOACCUMULATION: May cause bioaccumulation.
AQUATIC TOXICOLOGY: No evidence of aquatic toxicity.

OTHER INFORMATION: Vapor undergoes indirectly photolysis in troposphere.

# **SECTION XIII: DISPOSAL CONSIDERATIONS**

Can be burned in chemical incinerator equipped with afterburner and scrubber. Do not dispose of empty container unless the contents have been completely removed and container has been flushed with a clean neutral solvent and then dried up. Do not dispose the emptied container unlawfully. Observe all federal, state, and local laws.

# SECTION XIV: TRANSPORT INFORMATION

DOT Road Shipment Information (49 CFR 172.101)

UN/NA NUMBER: NA 1993 PACKAGING GROUP (DOT): III

PROPER SHIPPING NAME: Combustible Liquids, N.O.S.

HAZARD CLASS:

TECHNICAL SHIPPING NAME: Decamethyltetrasiloxane

HAZARD LABEL: None

REMARKS: Above applies to only containers over 119 gallons or 450 liters.

Ocean Shipment (IMDG)

UN/NA NUMBER: NA 1993 PACKAGING GROUP (DOT): III

PROPER SHIPPING NAME: Flammable Liquid, N.O.S.

HAZARD CLASS:

TECHNICAL SHIPPING NAME: Decamethyltetrasiloxane HAZARD LABEL: flammable liquid

Air Shipment (IATA)

UN/NA NUMBER: NA 1993

PACKAGING GROUP (DOT): III
PROPER SHIPPING NAME: Flammable Liquid, N.O.S.

HAZARD CLASS:

TECHNICAL SHIPPING NAME: Decamethyltetrasiloxane HAZARD LABEL: Flammable liquid

## SECTION XV: REGULATORY INFORMATION

TOXIC SUBSTANCE CONTROL ACT (TSCA) STATUS: Listed on the TSCA Inventory.

Superfund Amendments And Reauthorization Act Of 1986 (Sara) Title Iii Section 313 Supplier Notification:

This regulation requires submission of annual reports of toxic chemical(s) that appear in section 313 of the emergency planning and community Right-To-Know Act of 1986 and 40 CFR 372. This information must be included in all MSDS's that are copied and distributed for the material.

The toxic chemical(s) contained in this product are: CHEMICAL NAME / (CAS No.) AND CONTENTS: None.

## **CALIFORNIA PROPOSITION 65**:

This regulation requires a warning for California Proposition 65 Chemical (s) under the statute.

The California Proposition 65 Chemical (s) contained in this product are:

CHEMICAL NAME / (CAS No.) AND CONTENTS: None.

# SECTION XVI: OTHER INFORMATION

This material safety data sheet is offered solely for your information, consideration and investigation. The data described in this MSDS consist of data on literature, our acquisitioned data and analogical inference by data of similar chemical substance or product. Clearco Silicones, Inc. provides no warranties, either expressed or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.