

Clearco Products
3430 G Progress Drive, Bensalem, PA 19020
Phone: (215) 639-2640

MATERIAL SAFETY DATA SHEET

Emergency Telephone Number
CHEM-TEL: 1 (800) 255-3924
CHEM TEL: 1-800-255-3924 (DOMESTIC)
+01-813-248-0585 (INTERNATIONAL)

Date Prepared 03/01/2011

NAME USED ON LABEL: **PSF-2cSt Silicone Damping Fluid**
CHEMICAL NAME: POLYDIMETHYLSILOXANE
SYNONYMS: Dodecamethylpentasiloxane
CHEMICAL FAMILY: SILICONE
HMIS CODES HEALTH: 1 FLAMMABILITY: 2 REACTIVITY: 0

INGREDIENTS

IDENTITY	CAS #	%	TLV OSHA PEL
Polydimethylsiloxane	63148-62-9	100%	Not established

PHYSICAL DATA

Boiling Point: 85 to 105°C @ 2-4mm	Freezing Point: <-40°C
Specific Gravity: 0.88	Vapor Pressure: <1mm
Vapor Density (air = 1): >1	Solubility in water: insoluble
% Volatiles: NA	Evaporation rate: NA
Molecular Weight: 310-458	Viscosity: 2.0cSt
Appearance & Color: Clear, nearly odorless liquid	

FIRE & EXPLOSION DATA

Flash Point, COC: 70°C (158°F)	Auto ignition Temp: 430°C
Flammability Limits- LEL: NA	UEL: NA

Extinguishing Media: Water spray, foam, carbon dioxide, dry chemical.
Special Fire Fighting Procedures: Avoid eye and skin contact. Do not breathe fumes or inhale vapors.
Unusual Fire and Explosion Hazards: Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame. Liquid generates strong static charge when poured.

ENVIRONMENTAL INFORMATION

Spill response: May be hazardous to aquatic life if released to open waters. Cover spill with absorbent material. Transfer to a suitable container for disposal.

Recommended Disposal: May be incinerated. Alternately, absorb onto clay or vermiculite and dispose of absorbent material as solid waste. Follow all chemical pollution control regulations.

HEALTH HAZARD DATA

Eye Contact: Vapors may cause immediate or delayed severe eye irritation.
Skin contact: No information available. Avoid contact.

Inhalation: Inhalation of vapors or particulates will irritate the respiratory tract. Overexposure may produce coughing, headache and nausea.

Oral Toxicity: not determined

Chronic Toxicity: There are no known chronic effects related to this compound.

SUGGESTED FIRST AID

EYES: In case of contact, immediately flush eyes with flowing water for at least 15 minutes. Get medical attention.

SKIN: Flush with water, and then wash with soap and water.

INHALATION: Move exposed individual to fresh air. Call a physician.

INGESTION: Never give fluids or induce vomiting if patient is unconscious or having convulsions. To conscious individual, give 1 cup of water to dilute ingested fluid. Get medical attention.

REACTIVITY DATA

Stability: Stable

Conditions to avoid: Combustible; Store away from oxidizers.

Incompatibility (materials to avoid): Avoid contact with peroxides, oxidizing agents.

Hazardous decomposition products: Organic Acid Vapors, formaldehyde and silicon dioxide.

SPECIAL PROTECTION INFORMATION

Ventilation: Local exhaust is required. Mechanical is recommended.

Respiratory Protection: If exposure exceeds TLV air-supplied or combination organic vapor amine gas respirator.

Eye and Face Protection: Chemical worker's goggles. Do not wear contact lenses.

Other Clothing and Equipment: Rubber, neoprene or nitrile gloves. An eyewash and emergency shower should be available.

Launder clothing before reuse.

OTHER PRECAUTIONS

For research and industrial use only.

Storage and Handling: Store in sealed containers.

Containers require grounding during use.

TRANSPORTATION

DOT SHIPPING NAME: POLYDIMETHYLSILOXANE

DOT HAZARD CLASS: None required

DOT LABELS: None required

DOT ID No: None Required

Prepared by safety and environmental affairs

The information contained in this document has been gathered from reference materials and/or Clearco Products test data and is to the best knowledge and belief of Clearco Products, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones that exist. Clearco Products makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore.