SAFETY DATA SHEET

PSF-0.65cSt Pure Silicone Fluid



Data Prepared: January 12, 2022

SECTION 1: Identification

Product name : PSF-0.65cSt Pure Silicone Fluid

Product code : PSF-0.65cSt

Manufacturer or supplier details

Company name of supplier : Clearco Products Co Inc.

Address : 15 York Rd.

Willow Grove, PA 19090 U.S.A.

Telephone : 215-366-7860

Emergency Telephone : CHEM TEL: 1-800-255-3924 (DOMESTIC)

+01-813-248-0585 (INTERNATIONAL)

Recommended use of the chemical and restrictions on use

Recommended use : Process regulators, other polymerization or vulcanization

processes Intermediate Cosmetics

Lubricants and lubricant additives Anti-set off and adhesive agents

SECTION 2: Hazards identification

GHS classification in accordance with 29 CFR 1910.1200

Flammable liquids : Category 2

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapor.

Precautionary Statements:

Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P280 Wear protective gloves/eye protection/face protection.

Reponse:

P303 + P361 + P353 IF ON SKIN (or hair): Take of immediately all contaminated clothing. Rinse skin with water/shower.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/container to an approved waste disposal

Other hazards

Static -accumulating flammable liquid

Vapors may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

Substance/Mixture : Substance
Chemical nature : Silicone

Substance name : Hexamethyldisiloxane

CAS-No : 107-46-0

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Hexamethyldisiloxane	107-46-0	>=89 - <=100

SECTION 4: First aid measures

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of

water.

Remove contaminated clothing and shoes.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attenton if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms : None known.

and effects, both acute and

delayed

Protection of first-aiders : No special precautions are necessary for first aid

responders.

Notes to physician : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread

fire.

Flash back possible over considerable distance. Vapors may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Silicon oxides Formaldehyde

Specific extinguishing methods : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it safe to do

so.

Evacuate area.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if

necessary.

Use personal protective equipment.

SECTION 6: Accidental release measures

Personal precautions, : Remove all sources of ignition

protective equipment Ventilate the area

and emergency procedures: Follow safe handling advise and personal protective

equipment recommendations.

Environmental precautions: Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and material for containment and cleaning up:

Non-sparking tools should be used. Soak up with inert absorbent material

Suppress (knock down) gases/vapors/mists with water spray

jet.

For large spills, provide diking or other appropriate container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7: Handling and storage

Technical measures

: Ensure all equipment is electrically grounded before beginning transfer operations.

This material can accumulate static charge due to its inherent physical properties and can therefore cause an electrical ignition source to vapors. In order to prevent a fire hazard, as bonding and grounding may be insufficient to remove static electricity, it is necessary to provide an inert gas purge before

beginning transfer operations.

Restrict flow velocity in order to reduce the accumulation of

static electricity.

Local/Total ventilation

: Use with local exhaust ventilation.

Use only in an area equipped with explosion-proff exhaust ventilation if advised by assessment of the local exposure

potential.

Advice on safe handling

: Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace

exposure assessment.

Non-sparking tools should be used.

Keep container tightly closed

Keep away from heat and sources of ignition

Take precationary meaures against static discharges

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for sage storage : Keep in properly labeled containers

Keep tightly closed

Keep in a cool, well-ventilated place

Store in accordance with the particular national regulations

Keep away from heat and sources of ignition

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures which in contact with water emit

flammable gases Explosives

Gases

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type	Control	Basis
		(Form of	parameters/Permissible	
		exposure)	concentration	
Hexamethyldisiloxane	107-46-0	TWA	50 ppm	DCC OEL

Engineering measures

: Processing may form hazardous compounds (see section 10)

Minimize workplace exposure concentrations

Use only in an area equipped with explosion-proof exhaust ventilation if advised by assessment of the local exposure

potentention

Use with local exhaust ventilation

Personal protective equipment

Respiratory protection

: General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above reocmmended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respiratory regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are uknown, or any other circumstance

where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : Choose gloves to protect hands against chemicals

depending on the concentration specific to place of work. Take note that the product is flammable, which may impact the selection of hand protection. Wash hands before breaks

and at the end of workday.

Eye protection : Wear the following personal protective equipment:

Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and as assessment of the local exposure

potential.

Wear the following personal protective equipment: Flame retardant antistatic protecting clothing, unless assessment demonstrates that the risk of explosive

atmospheres or flash fires is low

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc.)

Hygiene measures : Ensure that eye flushing systems and safety showers are

located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use

Thse precautions are for room temperature handling. Use at eleveated temperature or aerosol/spray applications may

require added precautions.

For further information regarding the use of silicones/ organic oils in consumer aerosol applications, please refer to the guidance document regarding the use of these type of materials in consumer aerosol applications that has been developed bt the silicone industry or contact Clearco

Products.

SECTION 9: Physical and chemical properties

Appearance : liquid Color: : colourless

Odor : No data available
Odor Threshold : No data available
pH : No data available
Melting point/freezing point : No data available

Intial Boiling point and boiling range $:>35^{\circ}C$ Flash point $:-1^{\circ}C$

Method: Pensky-Martens closed cup

Evaporation rate : No data available Flammability (solid, gas) : Not applicable

Self-ignition : The substance or mixture is not classified as pyrophoric. The

: No data available

substance or mixture is not classified as self heating.

Upper explosion limit/Upper

flammability limit

Lower explosion limit/ Lower : No data available

flammability limit

Vapour pressure : No data available Relative vapor density : No data available

Relative density : 0.760

Solubility(ies)

Water solubility : No data available Partition coefficient: : No data available

n-octanol/water

Auto-ignition temperature : No data available Decomposition temperature : No data available

Viscosity

Viscositym kinematic : 0.65 cSt (25°C) Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available Particle size : Not applicable

SECTION 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Highly flammable liquid and vapor.

Vapors may form explosive mixture with air

Use at elevated temperatures may form highly hazardous

compounds.

Can react with strong oxidizing agents

Hazardous decomposition products will be formed at

elevated temperatures/

Conditions to avoid : Handling operations that can promote accumulation of

static charges

Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition products

Thermal decomposition : Formaldehyde

SECTION 11: Toxicological information

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Ingredients:

Hexamethyldisiloxane:

Acute oral toxicity : LD50 (Rat): >16 ml/kg

Assessment: The substance or mixture has no acute oral

toxicity

Remarks: On basis of test data

Acute inhalation toxicity : LC50 (Rat): 15956 ppm

Exposure time: 4h Test atmosphere: vapor

Assessment: The substance or mixture has not acute

inhalation toxicity

Remarks: On basis of test data

Acute dermal toxicity : LD50 (Rat): >2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: On basis of test data

Skin corrosion/irritation

No classified based on available information

Ingredients:

Hexamethyldisiloxane:

Species: Rabbit

Result: No skin irritation Remarks: On bsis of test data

Serious eye damage/eye irritation

Not classified based on available information

Ingredients:

Hexamethyldisiloxane:

Species: Rabbit

Result: No eye irritation Remarks: On basis of test data

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information

Respiratory sensitization

Not classified based on available information

Ingredients:

Hexamethyldisiloxane:

Assessment: Does not cause skin sensitization Test Type: Human repeat insult patch test (HRIPT)

Species: Humans Result: Negative

Remarks: On basis of test data

Germ cell mutagenicity

Not classified based on available information

Ingredients:

Hexametyhldisiloxane:

Genotoxicity in vitro : Test type: Bacterial revere muttation assay (AMES)

Result: negative

Remarks: On basis of test data.

Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: On basis of test data

Test Type: Mutagenicity (in vitro mammalian cytogenetic

test)

Result: negative

Remarks: On basis of test data

Genotoxicity in vivo : Test type: Mutagenicity (in vivo mammalian bone-marrow

Cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Intraperitoneal injection

Result: negative

Remarks: On basis of test data

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects

Carcionogencity

Not classified based on available information

Ingredients:

Hexamethyldisiloxane:

Species: Rat

Application Route: inhalation (vapor)

Result: negative

Remarks: On basis of test data

Carcinogenicity-Assessment : Animal testing did not show any carcinogenic effects

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcionogen by IARC.

OSHANo component of this product present at levels greater than

or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated

carcinogen by NTP.

Reproductive toxicity

Not classified based on available information

Ingredients:

Hexamethyldisiloxane:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat, male and female Application Route: inhalation (vapor) Symptoms: No effects on fertility Remarks: On basis of test data

Effects on fetal development : Test Type: Two-generation reproduction toxicity study

Species: Rat, male and female
Application Route: inhalation (vapor)
Symptoms: No effects on fetal development

Remarks: On basis of test data

Reproductive toxicity- Assessment : No evidence of adverse effects on sexual function and

fertility or on development, based on animal experiments.

STOT-single exposure

Not classifised based on available information.

STOT-repeasted exposure

Not classified based on available information.

Ingredients:

Hexamethyldisiloxane:

Routes of expsoure: Ingestion

Assessment: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Routes of exposure: Inhalation (vapor)

Assessment: No signficant health efffects observed in animals at concentrations of 1 mg/l/6h/d or less.

Routes of exposure: Skin contact

Assessment: No significant health effects observed in animals at concentrations of 200 mg/kg bw or less.

Repeated dose toxicity

Ingredients:

Hexamethyldisiloxane:

Species: Rat

Application Route: Ingestion Remarks: On basis of test data

Species: Rat

Application Route: Inhalation (vapor) Remarks: On basis of test data

Species: Rat

Application Route: Skin contact Remarks: On basis of test data

Aspiration toxicity

Not classified based on available information

Further information

Ingredients:

Hexamethyldisiloxane:

Remarks: This material contains hexamethyldisiloxane (HMDS). Repeasted inhalation exposure in rats to HMDS resulted in protoporphyrin accumulation in the liver. Without knowledge of the specific mechanism leading to the orptoporphyrin accumulation the revelevance of this finding to humans is unknown.

SECTION 12: Ecological information

Ecotoxicity

Ingredients:

Hexamethyldisiloxane:

Toxicity to fish : NOEC (Oncorhynchus mykiss(rainbow trout)): 0.37 mg/l

Exposure time: 96 h

LC50 (oncorhynchus mykiss (rainbow trou)): 0.46 mg/l

Exposure time: 96 h

Remarks: On basis of test data

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): >0.55 mg/l

Remarks: No toxicity at the limit of solubility

On basis of test data.

M-Factor (Acute aquatic toxicity) : 1

Toxicity to dahpnia and other : NOEC (Daphnia): 0.32 mg/l

aquatic invertebrates (Chronic toxicity) Exposure time: 21 d

NOEC (Daphnia magna (Water flea)): 0.1 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: On basis of test data

Exotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects

Persistance and degradability

Ingredients:

Hexamethyldisiloxane:

Biodegradability : Result: Not readily biodegradable

Biodegradation: 20% Exposure time: 28 d

Method: OECD Test Guideline 301C

Bioaccumulative potential

Ingredients:

Hexamethyldisiloxane:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Biocentration factor (BCF): 2,410

Concentration: 0.04 mg/l Remarks: On basis of test data

Partition coefficient: n-octanol/water : log Pow: 5.06 (20°C)

Remarks: On basis of test data

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13: Disposal considerations

Disposal methods

Resource Conservation and

Recovery Act (RCRA)

: When a decision is made to discard this material as supplied, it is clasffied as a RCRA hazardous waste.

Waste Code : D001: Ignitability

Waste from residues : Dispose of in accordance with local regulations

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or dispsal.

Empty containers retain residue and can be dangerous Do not pressurize, cut, weld, braze, solder, drill, grind or expose such containters to heat, flame, sparks or other sources of ignition. They may explose and cause injury and/or

death.

SECTION 14: Transport information

International Regulations

UNRTDG

UN number : UN1193

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(Hexamethyldisiloxane)

Class : 3
Packing group : II
Labels : 3

IATA-DGR

UN/ID No. : UN 1993

Proper shipping name : Flammable loquid, n.o.s.

(Hexamethyldisiloxane)

Class : 3 Packing group : II

Labels : Flammable Liquids

Packing instruction (cargo aircraft) : 364
Packing instruction (passengar aircraft) : 353

IMDG-Code

UN number : UN 1193

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(Hexamethyldisiloxane)

Class : 3
Packing group : II
Labels : 3
EmS Code : F-E, S-E
Marine Pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplier.

Domestic regulation

49 CFR

UN/ID/NA number : UN 1993

Proper shipping name : Flammable liquids, n.o.s.

(Hexamethyldisiloxane)

Class : 3 Packing group : II

Labels : FLAMMABLE LIQUID

ERG Code : 128

Marine pollutant : yes (Hexamethyldisiloxane)

SECTION 15: Regulatory information

EPCRA- Emergency Planning and Community Right-to-Know CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ. SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHQ RQ. SARA 301 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids or solids)

Hazard not otherwise classified (physical hazards)

SARA 313 : This material does not contain any chemical components

with known CAS numbers that exceed the threshold (De Minimis) reporting Ivels established bt SARA Title III, Section

313.

US State Regulations

Pennsylvania Right To Know

Hexamethyldisiloxane 107-46-0

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

TSCA : All chemical substances in this product are either listed on

the TSCA Inventory or are in compliance with TSCA Inventory

exemption.

AICS : All ingredients listed or exempt IECSC : All ingredients listed or exempt

ENCS/ISHL : All components are listed on ENCS/ISHL or exempted from

inventory listing.

DSL : All chemical substances in this product comply with the

CEPA 1999 and NSNR and are on or exempt from listing on

the Canadian Domestic Substances List (DSL).

SECTION 16: Other information

Further Information

NFPA:



HMIS IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.